T3
SYSTEMS

CATALOGUE

T3 SYSTEMS CATALOGUE - V2

CONTENTS

T3 SYSTEMS

WHY US

Our core company principle is simple

TWIST – LOCK – **CONNECT**

All products designed and manufactured by T3 Systems are
tool free solutions. Allowing our users to create hassle free
displays using our patented twist and lock assembly method .

Modular display companies, exhibition, display and interior
contractors around the world are partnering with T3 systems
to build eye-catching and innovative stands, back-drops,
conference sets, shop interiors, counters, towers and displays in
a fraction of the time it takes to build them using conventional
methods.

We offer a lifetime guarantee on all our
products, ensuring that we provide our
users with the best quality products for
all their display requirements.

LIFETIME
WARRANTY

OUR AWARDS

ISO

T3 FRAME

THE ORIGINAL MODULAR FRAMEWORK SYSTEM

T3 Frame is the original framework system. Its patented modular, twist lock assembly makes it one of the most versatile and innovative display systems in the world. It allows users to create complex displays in a fraction of the time of other frameworks and without the need for tools or levers. Its wide range of profiles and extrusions allows for unmatched design potential.

No Tools

Easy to transport & Store

Modular Components

T3 FRAME - EXTRUSIONS

AFTO / AFTO3000
Airframe Tube (Custom / Stock length)

No End Fittings

Custom Length	from 16mm to 3000mm
Stock Length	3000mm
Weight	648g per metre / 1944g Stock
Pack Quantity	1

AFT
Custom Airframe Tube

With End Fittings

Length:	20mm - 3000mm
Weight:	Custom*

Please contact for specific lengths & weights according to your order.

AFC
Custom Airframe Curve

With End Fittings

Length:	490c/c - 1960 c/c
Weight:	Custom*

Please contact for specific lengths & weights according to your order.

CHTO / CHTO3000
Channel Tube (Custom / Stock length)

No End Fittings

Custom Length	from 16mm to 3000mm
Stock Length	3000mm
Weight	623g per metre / 1869g Stock
Pack Quantity	1

CHT
Custom Channel Tube

With End Fittings

Length:	20mm to 3000mm
Weight:	Custom*

Please contact for specific lengths and weights according to your order

CHC
Custom Channel Curve

With End Fittings

Length:	490c/c - 1960c/c
Weight:	Custom*

Please contact for specific lengths and weights according to your order

CHTL
Custom Channel Twist Lock Tube

With End Fittings

Length:	20mm - 1750mm
Weight:	Custom*

Please contact for specific lengths & weights according to your order

FNTO / FNTO3000
Fusion Tube (Custom / Stock length)

No End Fittings

Custom Length	from 16mm to 3000mm
Stock Length	3000mm
Weight	637g per metre / 1911g Stock
Pack Quantity	1

### FNT
Custom Fusion Tube

With End Fittings

Length:	20mm to 3000mm
Weight:	Custom*

Please contact for specific lengths and weights according to your order

AFANG
Airframe Angle

30mm

Option for Steel / Velcro to Sides**

Airframe angles range from	2° -75°
Pack Quantity	1

Please contact for Custom Angle requirements (Made from cut tube which can be extended)*

CHANG
Channel Angle

30mm

Option for Steel / Velcro to Sides**

Channel angles range from	2° -75°
Pack Quantity	1

Please contact for Custom Angle requirements (Made from cut tube which can be extended)*

UCTO / UCT
Ultralite Channel tube (Custom / Stock length)

No End Fittings

Custom Length	from 20mm to 2200mm
Stock Length	2200mm
Weight	0270g per metre / 738g Stock
Pack Quantity	1

UCT
Ultralite Channel Tube Custom

With End Fittings

Length:	20mm - 2200mm
Weight:	369g per metre

Please contact for specific lengths & weights according to your order.

UCC0567/90°
Ultralite Channel Curve

With End Fittings

Length:	567c/c - 600ø (90° only)
Weight:	TBCg

Profile comes in ONE SIZE ONLY (567mm c/c -600mm Outside diamter cut at 90°)

UFXC
Ultralite Flexi- Tube Custom

With End Fittings

Length:	0400mm - 1000mm
Weight:	Custom*

Please contact for specific lengths and weights according to your order (Side B only*)

## UFTO / UFT 2200
Ultralite Fusion tube (Custom / Stock length)

No End Fittings

Custom Length	from 20mm to 2200mm
Stock Length	2200mm
Weight	0270g per metre / 812g Stock
Pack Quantity	1

UFT
Ultralite Fusion Tube Custom

With End Fittings

Length:	20mm - 2200mm
Weight:	369g per metre

Please contact for specific lengths & weights according to your order.

CHBRC
Custom Channel Brace

With CHBRS*

Measured from tube cut size*

Length:	40mm to 2200mm
Weight:	Custom*
Pack Quantity	1

CHTR2400 / CHTRC
Custom Channel Garment Tube (25mm Diameter)

Cut size*

Length:	up to 2400mm
Weight:	287g
	per metre

Please contact for specific lengths & weights according to your order

CHMUIC / CHMUI2400
Channel Multiuse Insert (Custom / Stock length)

Custom Length	from 20mm to 2400mm
Stock Length	2400mm
Weight	0443g Stock
Pack Quantity	1

(Please specify with Steel, Velcro or Plain)

CHPSC / CHPS2200
Channel Panel/Shelf-Insert (Custom/Stock length)

Custom Length	from 20mm to 2200mm
Stock Length	2200mm
Weight	0289.5g Stock
Pack Quantity	1

CHDIC / CHDI2200
Channel Decor Insert (Custom / Stock length)

Custom Length	from 20mm to 2200mm
Stock Length	2200mm
Weight	168g Stock
Pack Quantity	1

Please contact for Plain, Velcro or Steel option.

CHDS-10
Channel Decor Insert Spacer 10mm

Stock Length	010mm
Weight	0010g
Quantity	x2 per tube-

Please contact for Plain, Velcro or Steel option.

CHFCC / CHFC2200/2400
Channel Fabric Comb (stock length)

Custom Length	from 20mm to 2400mm
Stock Weight:	2200mm(332g) /2400mm (362g)
Pack Quantity	1

CHFSC / CHFSC2200/2400
Channel Fabric Silverlite (Custom/Stock length)

Custom Length	from 20mm to 2400mm
Stock Weight:	2200mm(330g) /2400mm (347g)
Pack Quantity	1

CHFS45°C / CHFS45°2200
Channel Fabric Silverlite 45° (Custom/Stock length)

Custom Length	from 20mm to 2200mm
Weight	0110g per metre / 0275g Stock
Pack Quantity	1

CHFFCC
Channel Fabric Comb Custom Flexible

Weight:	95g
Max Size:	1200mm

Comb is cut ('fracked') to allow for profile to bend into custom curves requiring tighter degree of angle. Minimum diameter restriction applies*

CHFFSC
Channel Insert Silverlite Custom Flexible

Weight:	95g
Max Size:	1200mm

Silverlite is cut ('fracked') to allow for profile to bend into custom curves requiring tighter degree of angle. Minimum diameter restriction applies*

CHFFS45°C
Channel Insert 45° Silverlite Custom Flexible

Weight:	95g
Max Size:	1200mm

Silverlite is cut ('fracked') to allow for profile to bend into custom curves requiring tighter degree of angle. Minimum diameter restriction applies*

CHLB-02000/2400/3000
Channel fabric litebox Stock

Length:	3000mm
Weight:	500g

CHLBC
Custom Fabric Litebox profile

With End Fittings

Length:	20mm - 3000mm
Weight:	Custom*

Please contact for specific lengths & weights according to your order

CHSDDIC / CHSDDI2400
Sliding double door insert (Custom / Stock length)

Custom Length	from 16mm to 2400mm
Stock Length	2400mm
Weight	0153g per metre/0382g Stock
Pack Quantity	1

CHWPIC / CHWPI2400
Channel Wall Panel Insert (Custom / Stock length)

19mm internal width

Custom Length	from 16mm to 2400mm
Stock Length	2400mm
Weight	0130g per metre / 0325g Stock
Pack Quantity	1

CHSBIC / CHSBI2400
Channel Bracket Shelf Insert (Custom/Stock length)

Custom Length	from 20mm to 2400mm
Stock Length	2400mm
Weight	0237g per metre /592.5g Stock
Pack Quantity	1

CHPDIC / CHPDI2400
Channel Panel Dual Insert (Custom / Stock length)

Custom Length	from 16mm to 2400mm
Stock Length	2400mm
Weight	0156g per metre /0390g Stock
Pack Quantity	1

EDGUPC / EDGUP
'U' Plastic edging (Custom / Stock length)

with mag tape*

Custom Length	from 10mm to 3000mm
Stock Length	3000mm
Weight	0295g per metre / 0885g Stock
Pack Quantity	1

EDGLPC / EDGLP
'L' Plastic edging (Custom / Stock length)

with mag tape*

Custom Length	from 10mm to 3000mm
Stock Length	3000mm
Weight	0372g per metre / 1116g Stock
Pack Quantity	1

G-EX
Graphic L angle Custom (available in various sizes)

Size	Weight		Code
25 x 25	16 x 3000	-	G25EX
25 x 12	16 x 3000	139g pr m	G20EX
12 x 25	16 x 3000	110g pr m	G12EX

Please contact for specific Customizations

CON
Connector

Weight 23g	No. quantity per pack 1

Colors Available* Minimum order applies*

CONTE-19mm
Tube Extender (19mm)

Weight:	19g
Pack Quantity	1

CON 2
Connector Double

Weight:	63g
Pack Quantity:	1

CAP / CAPCH
Connector Cap (Plain /Chrome)

*also available in CHROME

Weight:	CAP(3g)/CAPCH(3.2g)
Pack Quantity:	1

Please specify color upon order*

HNG
Hinge for Connector

Weight:	14g
Pack Quantity	1

TFM5/TFM8
Threaded Fitting For connector (M5/8)

Weight:	M5-6g / M8-4g
Pack Quantity:	1

M5 Bayonet fitted with Brass Thread
M8 Bayonet fitted with Thread*

DJ14 / DJ30
Double joiner - 14mm

DJ14mm - Weight:	13g
DJ30mm - Weight:	16.4g
Pack Quantity	1

RIN - 05/06/-08/-10
Rivet Tube inserts (M Self Fit only*)

Self Fit only*

M5	3g
M6	4g
M8	6g
M10	9g
Pack Quantity	1

Please contact for Customization of inserts*

CABT
Cable access tidy

Weight:	19g
Pack Quantity:	1

GHP
Graphic hangers (pair)

Weight:	18g
Pack Quantity:	2

SHCL
T3 Shell clamp

Weight:	105g
Pack Quantity:	1

Includes x3 Inserts*

TCLMP
Tube Clamp (Steel Sprung)

Weight:	30g
Pack Quantity:	1

AFEFS
Airframe end fitting (Bayonet)

With Screw*

Weight 8.4g (wls)	No. quantity per pack 1

Colors Available* Minimum order applies*
(Rating - ULV_0- Poly C)

AFSEB/G
Stop End CAP (Airframe Only)*

*available in grey or black

Weight:	6g
Pack Quantity:	1

Specify Colour upon order*

FNEFS
Fusion end fitting (Bayonet)

With Screw*

Weight 8.2g (w/s)	uantity per pack 1

Colors Available* Minimum order applies*
(Rating - ULV_0- Poly C)

CHEFS
Channel end fitting (Bayonet)

With Screw*

Weight 8.0 (wls)	No. quantity per pack 1

Colors Available* Minimum order applies*
(Rating - ULV_0- Poly C)

CHTLEFSTL
Channel Twist lock End Fitting

With Screw*

Weight:	6.6g
Pack Quantity:	1

CHBRS
Channel brace show only

Weight:	42g
Pack Quantity:	1

CHFSIC
Fabric silverlite infill corner

Weight:	7.4g
Pack Quantity:	1

CHFSIE
Fabric silverlite infill edge

Weight:	5.6g
Pack Quantity:	1

CHFSII
Fabric silverlite infill internal

Weight:	4g
Pack Quantity:	1

CHFS45°IA / CHFS45°IB
Silverlite 45° Insert A (right) B (Left)

Weight:	7.8g
Pack Quantity:	1

CHFS45°IC
Silverlite 45° Insert C

Weight:	8g
Pack Quantity:	1

CHFS45°IE
Silverlite 45° Edge

Weight:	5.6g
Pack Quantity:	1

CHFS45°IT
Silverlite 45° Insert T

Weight:	8.6g
Pack Quantity	1

CHFIC
Channel fabric infill corner

Weig ht:	7.4g

CHFIT
Channel fabric infill T

Weight:	10.2g
Pack Quantity:	1

CHFIW
Channel fabric infill wrap

Weight:	9g
Pack Quantity:	1

CHFIX
Channel fabric infill cross

Weight:	10.2g
Pack Quantity:	1

CHFIWP
Wall panel insert

Weight:	4g
Pack Quantity:	1

CHFLBIC-F
Channel fabric insert corner with notch

Weight:	18.8g
Pack Quantity:	1

CHFLBIE
Channel fabric litebox insert edge

Weight:	14.4g
Pack Quantity	1

CHFLBIC
Channel fabric litebox insert corner

Weight:	20.2g
Pack Quantity:	1

CHSSA / CHSSAM8
Channel shelf support Adjustable (with opt M8)

*includes 30° & 45°

*optional M8

Weight:	44.2g
Pack Quantity:	1
M6 Weight:	38g

CHSSF
Channel shelf support fixed

*includes 30° & 45°

Weight:	21.2g
Pack Quantity:	1

CHSST
Channel shelf support twist in

Weight: 3.8g
Pack Quantity: 1

CHSB15-30
Shelf bracket

Size	Length	Weight	Code
15	150 x 70	050g	B15
20	200 x 70	068g	B20
25	250 x 70	108g	B25
30	300 x 70	137g	B30

CHRTHK
Rail Suspension Hook (Pair for 25mm rail)

Weight: 35.2g
Pack Quantity: 2

CHRHK
Channel hook insert for rail

Weight: 14g
Pack Quantity: 1

SCLMPX
Support clamp flat X

Weight: 324.6g
Pack Quantity: 1

SCLMPI / SLMPIX
Support clamp flat / Extended

Weight: SCLMPI(167g)/SLMPIX (173g)
Pack Quantity: 1

SCLMPT
Support clamp flat T

Weight: 248.4g
Pack Quantity: 1

SCLMPC
Support clamp corner L

Weight: 150g
Pack Quantity: 1

CHRREC
25mm Curtain/Garment rail End Cap (Black)

Weight: 9g
Pack Quantity: 2

CHRTEF
Channel Rail End Fitting (For CHRT 25mm)

Weight: 82g
Pack Quantity: 1

FA25S/SS
Foot ADJ 25 Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
25 mm Static	21g	FA25s
25 mm Stud Only	16g	FA25ss

FA25T/TS
Foot ADJ 25 Tilitglide Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
25 mm tiltglide Static	26g	FA25T
25 mm Stud only	22g	FA25TS

FA38S/SS
Foot ADJ 38mm Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
38 mm Static	24g	FA38S
38 mm Stud Only	19g	FA38SS

FA40T/TS
Foot ADJ 40 Tilitglide Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
40 mm tiltglide Static	33g	FA40T
40 mm tiltglide Stud Only	28g	FA40TS

FA55T/TS
Foot ADJ 55 Tilitglide Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
55 mm tiltglide Static	41g	FA55T
55 mm tiltglide Stud Only	35g	FA55TS

FA38XS/XSS
Foot ADJ 38mm Extended Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
38 mm EXT Static	28g	FA38XS
38 mm EXT Stud Only	23g	FA38XSS

FWB50/S
50mm Wheel with brake Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
Wheel w/ bayonet	100g	FWB50
Wheel M8stud only	96g	FWB50S

FWN50/S
50mm Wheel Unbraked Static / Stud Only (M8)

*quantity x1 each

Description	Weight	Code
Wheel w/ bayonet	101g	FWN50
Wheel M8stud only	97g	FWN50S

FA70SS
Foot ADJ 70mm Static Stud Only (M10)

Weight: 43g
Pack Quantity: 1
Diameter: 70mm

FF01 / FF02
Foot flat single / Double

*quantity x1 each

Description	Weight	Code
Foot flat single	189g	FWB50
Foot flat double	314g	FWB50S

ESP
End side plate

*With Fasten Wheels

Weight: 744g
Pack Quantity: 1

*Requires Tin08 x2 on Airframe profile per plate

CBS
Carry bag small

Internal size: 340wx220dx350h - mm
Weight: 570g
Capacity: 360 connectors
Pack Quantity: 1

CBM
Carry bag medium

Internal size: 1050wx210dx210h - mm
Weight: 996.4g
Capacity: 36 x 980c/c tubes
Pack Quantity: 1

CBL
Carry bag large

Internal size: 1300wx210dx170h - mm
Weight: 1091.6kg
Capacity: 30 x 1250c/c tubes
Pack Quantity: 1

CBEX
Carry bag extra large

Internal size: 1550wx170dx170h - mm
Weight: 1135kg
Capacity: 25 x 1450c/c tubes
Pack Quantity: 1

CCL
Large wheeled case

with wheels*

Internal size: 345wx325dx1265l - mm
Weight: 8.5kg
Capacity: 90 tubes- 1260mmc/c
Pack Quantity: 1

CCM
Medium case

with wheels*

Internal size: 290wx250dx960h - mm
Weight: 4.4kg
Capacity: 56 tubes - 951 mm c/c
Pack Quantity: 1

CGD
Circular graphics drum

Internal size: 305 Ø x 1050h - mm
Weight: 4.6kg
Capacity: up to 15m graphic panels
Pack Quantity: 1

CGB
Circular Graphics Bag

Internal size: 305 Ø x1050h
Weight: 3184.5g
Capacity: up to 15m graphic panels
Pack Quantity: 1

ULLB / ULGD
Ultralite Large bag / Graphic Drum

Internal size: 1010wx180dx760l - mm (ULLB)
254 Ø x 1000l - mm (ULGD)
Weight: 1650g (ULLB) / 1070g (ULGD)
Pack Quantity: 1

CFC01
Flight case

with wheels*

Internal size: 1300wx425dx425l - mm
Extranl size: 1345wx470dx470h - mm
Weight: 22kg
Pack Quantity: 1

CBR01 / CBR02
Carry Bag Wheeled (with / without litebox bags)

with wheels*   x1   x3

External size:1260wx350dx160h (CBR01-Only)
Weight: 3232g (CBR01) / 3929g (CBR02)
Pack Quantity: 1
CBR02 includes litebox bags: CBD01 (x3) , CBP01 (x1)**

CBD01 / CBP01
Litebox Drawstring bag / Padded bag

External size: 250wx1115l - mm (CBD01)
125wx120dx580l - mm (CBP01)
Weight: 22kg (CBD01) / 22kg (CBP01)
Pack Quantity: 1

AFDSF/FNDSF/CHDSF 0735
Standard door (Airframe / Fusion / Channel)

Requires DSB* 735MM DENOTES WIDTH C/C*

FNDFF/CHDFF 0735
Fabric Standard Door (Fusion/Channel)

AVAILABLE IN PERIMETER ONLY OR DOOR ONLY OPTIONS*

AFDHF/FNDFH/CHDHF0735
Halfdoor (Airframe / Fusion / Channel)

Requires DSB* 735MM DENOTES WIDTH C/C*

AFDC/FNDC/CHDC 0490
Cupboard door (Fusion/Airframe/Channel)

Requires DSB* 735MM DENOTES WIDTH C/C*

AFDC/FNDC/CHDC 0735
Cupboard Door (Airframe / Fusion / Channel)

Requires DSB* 735MM DENOTES WIDTH C/C*

AFDSC/CHDSC
Custom Curved Door (Airframe / Channel)

735/980 DSB TANGENT RESTRICTION APPLIES*

Size	Height	Kg	Fusion	Airframe	Channel
CUPBOARD DOOR W490mm C/C	980mm c/c	5KG	FNDC0490	AFDC0490	CHDC0490
CUPBOARD DOOR W735mm C/C	980mm c/c	5.3KG	FNDC0735	AFDC0735	CHDC0735
HALF DOOR W735mm C/C	980MM CLC	5.5KG	FNDHF0735	AFDHF0735	CHDHF0735
STANDARD DOOR W735mm C/C	1960mm c/c	11KG	FNDSF735	AFDSF735	CHDSF735
FABRIC DOOR W735mm C/C	1960mm c/c	12KG	FNDFF735	-	CHDFF735
CURVED DR CSTM (490-12000Ø)	-	-	-	AFDSC	CFDSC

DOORS AVAILABLE WITH CUSTOM EXTRUSIONS (AIRFRAME TUBE ON ALL LOCKED DOORS)

DSL
Door lock only (Self Fitted)

Weight: 87g
Pack Quantity: 1

DSK
Door key only

Weight: 12g
Pack Quantity: 1

DSHM
Door hinge metal (Self Fitted)

Weight: 140g
Pack Quanity: 1

*quantity x1 each

DSB 735 / 980
Doorbar complete with feet

*includes x2 - 25mmStatic feet (FA25-S)

Description	Weight	Code
735mm c/c	1052g	DSB0735
980mm c/c	1402g	DSB0980

MSH
Monitor support hooks

*includes vesa fittings

Weight:	802g
Pack quantity:	1

Includes Bolt pack (MSHB*)
Bolt pack can be bought seperately*

MSB
Monitor support bracket

*includes vesa fittings

Weight:	1378g
Pack quantity:	1

Includes Bolt pack (MSBB*)
Bolt pack can be bought seperately*

AFSM / CHSM / FNSM
Screen Mount

Includes Bolt pack (MSMB*)
Bolt pack can be bought seperately*
Channel option protrude from mount by 14mm

Size Custom	Channel CHSMC	Airframe AFSMC	Fusion FNSMC
612.5mm c/c	CHSM0612.5	AGSM0612.5	FNSM0612.5
735mm c/c	CHSM0735	AFSM0735	FNSM0735
867mm c/c	CHSM0867.5	AFSM0867.5	FNSM0867.5
980mm c/c	CHSM0980	AFSM0980	FNSM0980
1102.5mm c/c	CHSM1102.5	AFSM1102.5	FNSM1102.5
1225mm c/c	CHSM1225	AFSM1225	FNSM1225

TTM EU / UK
turntable medium

*available without cradle

Weight:	4122g
Pack Quantity:	1
(220v EU / UK)	

THB
High bond double sided tape

Size	Weight	Code
12mm x 50m	179g	THB12
22mm x 50m	330g	THB22
25mm x 50m	354g	THB25

TSR
Steel tape

Size	Weight	Code
22mm x 147m	9.7kg	TSR22
25mm x 147m	11.2kg	TSR22

TSHB
Steel & high bond double sided tape

Size	Weight	Code
22mm x 147m	76g	TSHB22
25mm x 147m	86g	TSHB25

TV12 / 25MM
Velcro tape

*roll size 25m, avaible in both Black or White

Type	Colour	Weight	Code
Hook	12mm	315g	TV12HK
Loop	12mm	184g	TV12LP
Hook	25mm	504g	TV25HK
Loop	25mm	363g	TV25LP

TV25TB
Velcro tab set White (x8)

Weight:	22.5g
Pack Quantity:	8

Includes - x4 (Loop) / x4 (Hook)

CHFGE
Channel fabric edging

*175 metres per roll

Weight:	7.4kg
Pack Quantity:	1

TMR
Magnetic tape

Size	Weight	Code
12.5mm x 30m	2300g	TMR12.5
25 x 30m	4240g	TMR25

T3
SYSTEMS

FOR MORE NEWS & INFORMATION ABOUT ALL OUR PRODUCTS VISIT:

WWW.T3SYSTEMS.COM

T3
FRAME

T3
AFFINITY

T3
WANDLITE

T3
LITEBOX

T3
EASYCUBE

T3

WANDLITE

THE REVOLUTIONARY 360° L.E.D TUBE LIGHT

With its patented lightweight, unbreakable and portable design it is one of the most versatile lights available in the display and exhibition industry. It emits a bright, white 360° light and is easily installed into any type of structure, all this adds up to it being the ideal lighting solution.

Waterproof & Dustproof

Low Voltage

Eco-Friendly

15

T3 WANDLITE - PARTS

WA-H / R
Wandlite LED tube - High Bright / RGB

*Please specify with abbreviation H /RGB

Sizes:	WA001H (0366.5mm)	WA002H (0490mm)	WA003H (0612mm)
	WA004H (0735mm)	WA005H (0857mm)	WA006H (0980mm)
	WA007H (1102mm)	WA008H (1225mm)	WA009H (1347mm)
	WA010H (1469mm)	WA011H (1592mm)	WA001H (1715mm)
	WA010H (1836mm)	WA001H (1960mm)	

WLCSH
Suspension hanger

Weight: 4.2g
Pack quantity: 1

WLCFC
Fixing clip

Weight: 12g
Pack quantity : 1

WLFS
Splitter flex

Weight: 31g
Pack quantity: 1

WLFL
Link Flex

Weight: 11g
Pack quantity: 1

WLFLE
Link Extension Male to Female

Weight: 36.6g
Pack quantity: 1
1m in length**

WLT 2/5/8
Transformer (avail in UK/US/EU)

Weight:	Code:	Amp:
341g	WLT 2	2
432g	WLT 5	5
549g	WLT 8	8

WLHK - C40 / D10
'C' Hook 040mm / Double end 100mm

Weight 040mm 1.8g
Weight 100mm 3.8g
Pack Quantity: 1

WLHKS100
WLHK100/ CHSST / WLSCH (x1 each)*

Weight 040mm 90g
Weight 100mm 130g
Pack Quantity: 1

WLSZ
Z stand

Weight: 916g
Pack quantity: 1

WLRGBC
RGB ONE

Weight: 22g
Pack quantity: 1

T3 SYSTEMS

16

T3

LITEBOX

AT THE FOREFRONT OF VISUAL DISPLAYS

At the forefront of visual and product displays. Its twist-lock assembly method and modular design allows for it to be built in a matter of minutes and packed into one of our compact, wheeled travel cases easily. Profiles can be cut to any length, meaning there is complete versatility when it comes to size of a display.

Compact to store & transport

LED Illumination

Low Voltage

T3 LITEBOX - *UNITS*

LB1010
Litebox 1m x 1m (T3 Frame only)

CRB included*

Size Excluding Feet (33mm):1000mm x 1000mm

Includes: Roller Carry Bag
    LED Lights and Accessories
    Channel Inserts
    End Sides Plates and Fittings

LB1010-A
Litebox 1m x 1m (T3 Frame & T3 Affinity)

CRB included*

Size Excluding Feet (64mm):1000mm x 1000mm

Includes: T3 Affinity Uprights Accessories
    Roller Carry Bag
    LED Lights and Accessories
    Channel Inserts

LB1020-S
Litebox 2m x 1m (SPLIT T3 Frame only)

CRB included*

Size Excluding Feet (33mm):2000mm x 1000mm

Includes: Roller Carry Bag
    LED Lights and Accessories
    Channel Inserts
    End Sides Plates and Fittings

LB1020
Litebox 2m x 1m (SPLIT T3 Frame & T3 Affinity)

Size Excluding Feet (33mm):2000mm x 1000mm

Includes: T3 Affinity Uprights Accessories
    LED Lights and Accessories
    Channel Inserts

LB1020-SA
Litebox 1m x 1m (SPLIT T3 Frame & T3 Affinity)

CRB included*

Size Excluding Feet (64mm):2000mm x 1000mm
Weight: 23.6kg

Includes: T3 Affinity Uprights Accessories
    Roller Carry Bag
    LED Lights and Accessories
    Channel Inserts

LB1020-A
Litebox 2m x 1m (T3 Frame & T3 Affinity)

Size Excluding Feet (64mm):2000mm x 2000mm

Includes: T3 Affinity Uprights Accessories
    LED Lights and Accessories
    Channel Insert

LB2020-S
Litebox 2m x 2m (SPLIT T3 Frame only)

Size Excluding Feet (33mm):2000mm x 2000mm

Includes: LED Lights and Accessories
    Channel Inserts
    End Sides Plates and Fittings

LB2020
Litebox 2m x 2m (T3 Frame & T3 Affinity)

Size Excluding Feet (33mm):2000mm x 2000mm

Includes: T3 Affinity Uprights Accessories
    LED Lights and Accessories
    Channel Inserts

LB2020-SA
Litebox 2m x 2m (SPLIT T3 Frame & T3 Affinity)

Size Excluding Feet (64mm):2000mm x 2000mm

Includes: LED Lights and Accessories
    Channel Inserts
    End Sides Plates and Fittings

LB2020-A
Litebox 2m x 2m (T3 Frame & T3 Affinity)

Size Excluding Feet (64mm):2000mm x 2000mm

Includes: T3 Affinity Uprights Accessories
    LED Lights and Accessories
    Channel Inserts

T3 SYSTEMS

T3 EASYCUBE
EASYCUBE

THE SOLUTION TO ALL POP UP & POINT OF SALE RETAIL NEEDS

The innovative concept of T3 Easycube allows for strong and lightweight structures to be created that can be used individually or in "bundles". The structures are created using modular plastic profiles and units are comprised of counters, plinths and towers of varying sizes that can all be relocated and locked together. This allows for an almost unlimited number of designs and orientations of display.

Lightweight

Easy to transport & store

Modular Components

T3 EASYCUBE - UNITS & ACCESSORIES

ECP2012
Easycube Square Plinth (Incl Top & Base)

*Includes Feet (FA38s)

Height & Width: 883.5mm x 600mm

Alt Ver: ECP2010 - Frame only (No Feet/Base/Top/Shelf)
ECP2011 - Base Only (No Top)
ECP2013 - Includes Shelf with CHSSA
ECP2014 - Split height for Shelf (Includes Shelf)

ECP2022
Easycube Oblong Plinth (Incl Top & Base)

*Includes Feet (FA38s)

Height & Width: 883.5mm x 883.5mm x 600mm

Alt Ver: ECP2020 - Frame only (No Feet/Base/Top/Shelf)
ECP2021 - Base Only (No Top)
ECP2023 - Includes Shelf with CHSSA
ECP2024 - Split height for Shelf (Includes Shelf)

ECP3012
Easycube Semi-Circle Plinth (Incl Top & Base)

*Includes Feet (FA38s)

Height & Width: 300mm x 883.5mm x 600mm

Alt Ver: ECP3010 - Frame only (No Feet/Base/Top/Shelf)
ECP3011 - Base Only (No Top)
ECP3013 - Includes Shelf with CHSSA
ECP3014 - Split height for Shelf (Includes Shelf)

ECP3022
Easycube Circular Plinth (Incl Top & Base)

*Includes Feet (FA38s)

Height & Width: 883.5mm x 600-OD

Alt Ver: ECP3020 - Frame only (No Feet/Base/Top/Shelf)
ECP3021 - Base Only (No Top)
ECP3023 - Includes Shelf with CHSSA
ECP3024 - Split height for Shelf (Includes Shelf)

ECP4012
Easycube Corner Plinth (Incl Top & Base)

*Includes Feet (FA38s)

Height & Width: 600mm x 600mm (1167-OD)

Alt Ver: ECP4010 - Frame only (No Feet/Base/Top/Shelf)
ECP4011 - Base Only (No Top)
ECP4013 - Includes Shelf with CHSSA
ECP4014 - Split height for Shelf (Includes Shelf)

ECC1010
Promotional Cube Small (No Shelf)

*No Feet

Dimensions: 316.5mm Cube

*No Accessories included

ECC1020
Promotional Cube Medium (No Shelf)

*No Feet

Dimensions: 600mm Cube

*No Accessories included

ECC1030
Promotional Cube Large (No Shelf)

*No Feet

Dimensions: 883.5mm Cube

*No Accessories included

ECB01
Easycube Bundle

*Includes Feet (FA38s)

Depth & Width: 1483.5mm x 1783.5mm

**Includes Tops / Shelves/ Tube Clamps

ECB02
Easycube Bundle

*Includes Feet (FA38s)

Depth & Width: 1200mm x 1500mm

**Includes Tops / Shelves/ Tube Clamps

ALL UNITS ARE FITTED WITH VELCRO AS STANDARD, FOR MORE OPTIONS AND CUSTOM VARIATIONS PLEASE CONSULT OUR SALES TEAM:

SALES@TECNADISPLAY.COM

T3 AFFINITY

THE COMPLETE RETAIL & DISPLAY SYSTEM

The T3 Affinity system is a complete retail and display system. The patented design allows for displays and stands to be built quickly and without the use of tools. With its broad range of retro fit accessories, it is ideally suited for all manner of product and graphic displays. .

Customizable

No Tools

Fast Build Times

T3 AFFINITY - PROFILES & EXTRUSIONS

AYEB
Affinity Beam Standard (with End fittings)

Size	Weight	Cut length	Code
0300mm c/c	315g	0237mm	AYEB0300
0400mm c/c	398g	0337mm	AYEB0400
0600mm c/c	565g	0537mm	AYEB0600
0800mm c/c	732g	0737mm	AYEB0800
1000mm c/c	898g	0937mm	AYEB1000
1200mm c/c	1065g	1137mm	AYEB1200
CUSTOM	-	50-2400mm	AYEBC
CUSTOM (twist)	-	50-2400mm	AYEBTL

Twist Lock E/F

AYEBC-F/M/MF
Affinity Beam Central Joiner (Male / Female)

M   F

AYEBC-Male incl x1 (AYA3001) + Custom Tube
AYEBC-Female incl x1 (AYA3001) + Custom Tube
AYEBC-MF (No AYA3001) + Custom Tube
Pack Quantity: 1
Available late 2018**

AYEBP24
Stock length beam - (2400mm only)

Weight: 2390g
Cut length: 2400mm

AYEP
Affinity Post Standard (with End fittings)

Size	Weight	Cut length	Code
0885mm c/c	873.5g	0885mm	AYEP0885
0985mm c/c	1000g	0985mm	AYEP0985
1085mm c/c	1057g	1085mm	AYEP1085
1135mm c/c	1102g	1135mm	AYEP1135
CUSTOM	-	50-2400mm	AYEPC

AYEPC-F/M/MF
Affinity Post Central Joiner (Male / Female)

F   M

AYEPC-Male incl x1 (AYA3001) + Custom Tube
AYEPC-Female incl x1 (AYA3001) + Custom Tube
AYEPC-MF (No AYA3001) + Custom Tube
Pack Quantity: 1
Available late 2018**

AYEPP24
Stock length Posts - (2400mm only)

Weight: 2390g
Cut length: 2400mm

AYER 19T (C) / 25T (C)
19mm and 25mm Extrusion (Custom / Stock)

Weight 2400mm:381.5g(19mm)/580g(25mm)
Pack Quantity: 1

For Custom sizes please state cut size**
Stock Size 2400mm (19 & 25 mm)

AYPSD / AYPSDC
Sliding Door profile (Stock 2400mm /Custom)

Stock Weight: 3545g
Pack Quantity: 1

AYPCT / AYPCTC
Cable Trunking profile 2400mm

Stock Weight: 2091g
Pack Quantity: 1

AYRGE
Round Graphic Edging (200m roll)

Size	Weight	Code
2.7mm x 10mm	7900g	AYRGE

AYA - 1001
Connector

Weight:	51g
Pack Quantity	1

AYA - 1002
Post Connector cap

Weight:	36g
Pack Quantity:	1

AYA - 1003
Post Connector Cap with M8 thread

Weight:	35g
Pack Quantity:	1

AYA - 1004
T3 Adaptor

*joins T3 Frame to T3 Affinity

Weight:	12.2g
Pack Quantity:	1

AYA - 2011
M8 Cap c/w wheel (braked)

Weight:	132g
Pack Quantity:	1

AYA - 2104
Base Large

Weight:	3529g
Pack Quanity:	1

AYA - 2105
Base Small

Weight:	2091g
Pack Quantity:	1

AYA - 2106
Base Square

Weight:	2620.5g
Pack Quantity:	1

AYA - 1006
Hinge

Weight:	17g
Pack Quantity:	1

AYA - 1007
Top/ Board retainer Stud

Weight:	32g
Pack Quantity:	1

AYA - 1008
Foot 80mm (M8- 50mm Stud only)

Weight:	108g
Pack Quantity:	1

AYA - 1009
Foot 50mm (M8 -78mm Stud only)

Weight:	40g
Pack Quantity:	1

AYA - 3001
End fitting for Beam

Weight:	28g
Pack Quantity:	1

AYA - 3002
End fitting for Post

Weight:	31g
Pack Quantity:	1

AYA - 3003
Twist Lock End fitting for Beam

Weight:	34g
Pack Quantity:	1

AYA - 3004
Moulded End fitting for 19mm Graphic Pole

Weight:	26g
Pack Quantity:	1

AYA - 2000
Cap & Foot 80m (with M8 thread 50mm)

Weight:	143g
Pack Quantity:	1

AYA - 2001
Cap & Foot 50m (with M8 thread 78mm)

Weight:	75g
Pack Quantity:	1

AYA - 2007
Cap & Top Board Retainer

Weight:	68g
Pack Quantity:	1

AYA - 2010
M8 cap c/w wheel (unbraked)

Weight:	131g
Pack Quantity:	1

AYA - 3005
Side End Fitting for 19mm Graphic Pole

Weight:	21g
Pack Quantity:	1

AYA - 3006
End Fitting for 25mm Round Extrusion

Weight:	112g
Pack Quantity:	1

AYA - 3008
T - Bolt

Weight:	21g
Pack Quantity:	

AYA - 3010
Post Stop End Cap

Weight:	8g
Pack Quantity:	1

AYA - 3011
Beam Stop End Cap

Weight:	7g
Pack Quantity:	1

AYA - 3012
19mm Graphic Pole End cap (Black)

Weight:	4g
Pack Quantity:	2

AYA - 3013
25mm Round End cap (Black)

Weight:	8g
Pack Quantity:	2

AYA3101
Affinity Beam Central Joiner

Weight:	30.6g (70.2g)
Pack Quantity:	2
Available late 2018**	
(x2 units per side)	

AYA3102
Affinity Post Central Joiner

Weight:	23g (46g)
Pack Quantity:	2
Available late 2018**	

AYA - 4001 S / P
Single Shelf Bracket (Single / Pair)

(c/w T-bolt)*

Weight:	394g (Pair) / 197g (Single)
Pack Quantity:	1 / 2

Single bracket available in LEFT / RIGHT (L/R)*

AYA - 4002
Single Centre Shelf Bracket (Post)

(c/w T-bolt)*

Weight:	187g
Pack Quantity:	1

AYA - 4003 S / P
Double Shelf Bracket (Single / Pair)

(c/w T-bolt)*

Weight:	742g (Pair) / 372g (Single)
Pack Quantity:	1 / 2

Single bracket available in LEFT / RIGHT (L/R)*

AYA - 4004
5 Slot bracket for Beam (c/w T-bolt)

Weight:	179g
Pack Quantity:	1

AYA - 4005
5 Slot bracket for Post (c/w T-bolt)

Weight:	181g
Pack Quantity:	1

AYA - 4006
90° bracket for Beam (c/w T-bolt)

Weight:	43g
Pack Quantity:	1

AYA - 4007
90° bracket for post (c/w T-bolt)

Weight:	43g
Pack Quantity:	1

AYA - 4008 S/P
Saddle bracket For Beam (Single / Pair)

Weight:	90g
Pack Quantity:	1

No bolt / Screw included**

AYA - 4009
90° bracket for Beam (c/w T-bolt)

Weight:	38g
Pack Quantity:	1

AYA - 4015
T3 Clamp

Weight:	070g
Pack Quantity:	1

c/w Affinity Bolts*

AYA - 4020
Post Connector Rigidizer

Weight:	60g
Pack Quantity:	1

T3
SYSTEMS

WWW.T3SYSTEMS.COM

AYA - 5001 L/R
Literarture holder (c/w t bolt)

Weight:	194.4g
Pack Quantity:	1

Left or Right Version available*

AYA - 5002
A4 brochure holder

Weight:	421g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 5003
Acrylic shelf semi-circle Small

Weight:	156g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 5004
Acrylic shelf small - Oblong

Weight:	198g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 6001
Mounting Clip for Arm Lights

Weight:	6g
Pack Quantity:	1

Lighting options can be found in our Lighting & accessories section (page 31-32)*

TWIST - LOCK
CONNECT

AYA - 5005
Acrylic shelf semi-circle Large

Weight:	254g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 5006
Acrylic shelf large - Oblong

Weight:	327g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 5007
Metal shelf (Fits AYEH0863 c/c tube)

Weight:	2687g
Pack Quantity:	1

AYA - 5010
Wire System

Weight:	200g
(c/w AYA 4008 T-bolt)	
Pack Quantity:	1

AYA - 7011
Case (with wheels)

Weight:	8kg
Pack Quantity:	1

AYA - 5012
Monitor Holder

c/w botl pack*

Weight:	619g
Pack Quantity:	1

AYA - 5014 /5015
Affinity Monitor Support Hook Small / Large

Both items c/w
bolt packs**

Weight:	548g (SMALL) / 733g (LARGE)
Pack Quantity:	1

AYA - 5020
Tablet Holder Large

Weight:	664g
Pack Quantity:	1

AYA - 5021
Tablet Holder Small

Weight:	626g
Pack Quantity:	1

WA-H / R - C
Wandlite LED tübe Light - HighBright/RGB Custom

Custom Sizes available, minimum order applies*

WLHKD040 / 100
'C' Hook 040mm / Double end 100mm

Weight 040mm	02g
Weight 100mm	04g
Pack Quantity:	1

WLSLB
Stick light bracket

*Available in custom sizes

Size	Weight	Code
245c/c	59g	SLB0245
367.5c/c	90g	SLB0367.5
490c/c	100g	SLB0490
735c/c	131g	SLB0735
CUSTOM	as per order	SLBCSTM

WLAC
Adhesive Clip for Wandlite

Weight:	35g
Pack quantity:	1

SPLBLK - EU / UK / US
LED spotlight - black - 100w

*includes clamp

Weight: EU (463g) / UK (470g) / US (459g)	
Pack quantity:	1

SPLCHR - EU / UK / US
LED spotlight - chrome - 100w

*includes clamp

Weight: EU (454g)/UK (459g)/ US (445g)	
Pack quantity:	1

SPCAD
Spotlight adaptor

*available in RGB colours

Weight:	23g
Pack quantity:	1

SPCLAMP
Spotlight clamp

*includes clamp

Item	Weight	Code
Clamp	52g	SPLSLV

WLTL2SUK
Splitter Lead for Transformer (13 amp UK only)*

*UK only

Weight:	373g
Pack quantity:	1

WLTLEX
Extension lead for Transformer (UK only)*

3000mm long

Weight:	250g
Pack quantity:	1

WLTA
Adaptor 12mm to 14mm

Weight:	6g
Pack quantity:	1

AYA - 6002 EU / UK / USA
Armlight LED Chrome EU/UK/USA (c/w AYA6001)

Weight:	402g
Pack Quantity:	1

Includes Mounting Clip for Arm Lights*

AYA -6003 BLK EU / UK / USA
Armlight LED Black EU/UK/USA (c/w AYA6001)

Weight:	406g
Pack Quantity:	1

Includes Mounting Clip for Arm Lights*

TRL - EU / UK / US
LED Spotlight Transformer only*

Weight: EU (130g) / UK (133g) / US (121g)	
Pack quantity:	1

LSC-2400 / LSCC
L.E.D Cover Stock / Custom

Weight:	TBC
Pack quantity:	1

LS24V056-5L / 9L
LED light strips 24 volt (5/9 LED)

Size(mm): 361Lx21W(5 strip),467Lx24W(9 strip)	
Excluding Wire*	
Weight: 62g(5 strip), 84g(9 strip)	
Pack Quantity:	1

LBL460
Extension Litebox lead - 460mm

Weight:	70.4g
Pack Quantity:	1
Size:	460mm

LD24V100 / 200
Transformer 100 / 200watt (24 volt)

Internal size:	290wx250dx960h - mm
Weight:	354g (100w)- 877g (200w)
Capacity:	56 tubes - 951 mm c/c
Pack Quantity:	1

LBSMC
M-Clip

Weight:	4g
Pack Quantity:	20

T3
SYSTEM KITS

GET A BETTER UNDERSTANDING OF THE T3 SYSTEMS SOLUTIONS

If you want to know more about T3 Systems, why not order one of our T3 Kits. It will allow you to get a hands on feel for the modular framework system that is changing the industry. The kit's provide a simple yet comprehensive understanding of how our patented T3 System products work as well as introducing some of the main components.

TSK
T3 FRAME SAMPLE KIT

Weight:	1249g
Pack quantity:	1
(frame only weight)*	
Includes: USB / Brochures	

TDK
T3 FRAME DEMO KIT

Weight:	4750g
Pack quantity:	1
(frame only weight)*	
Includes: Extra T3Frame Accessories / USB/ Brochures	

AYDK
T3 AFFINITY DEMO KIT

In stock Fall 2018**

Weight:	5654g
Pack quantity:	1
Available late 2018**	

WLSK
T3 WANDLITE SAMPLE KIT

Packed Weight:	465g
Pack quantity:	1

FOR MORE NEWS & INFORMATION ABOUT ALL OUR PRODUCTS VISIT:

T3 SYSTEMS

WWW.T3SYSTEMS.COM

GET IN TOUCH

EMAIL
sales@tecnadisplay.com

CALL
UK OFFICE: +44 (0)208 803 4469
USA OFFICE: +1 (310) 299-2789

WWW.T3SYSTEMS.COM